

Evoked Tapware Range

BPIR Declaration

Version: V1

Designated building product: Class 1

Declaration

Newtech Wanganui LTD has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

Product/system

Name	Evoked Tapware Range
Line	
Identifier	ET6100, ET6102, ET6104, ET6106, ET6108, ET6110, ET6112, ET6114, ET6116, ET6120, ET6122, ET6126, ET6128, ET6130, ET6134, ET6136

Description

- ET6100 - Evoked Basin Mixer
- ET6102 - Evoked High Rise Basin Mixer
- ET6104 - Evoked Wall Mounted Basin Mixer and Spout
- ET6106 - Evoked Shower/Bath Mixer
- ET6108 - Evoked Shower Mixer with Diverter
- ET6110 - Evoked Slide Shower
- ET6112 - Evoked Double Head Slide Shower
- ET6114 - Evoked Bath Spout
- ET6116 - Floor Mounted Bath Filler
- ET6120 - Evoked Gooseneck Sink Mixer
- ET6122 - Evoked Gooseneck Pull Out Sink Mixer
- ET6126 - Evoked Shower Rain Head (Wall Mount)
- ET6128 - Evoked Shower Rain Head (Ceiling Mount)
- ET6130 - Evoked Mini Basin Mixer
- ET6134 - Evoked Wall Mounted Shower Kit (Elbow and Holder, Handpiece and Hose)
- ET6136 - Evoked Accessible Basin Mixer

- All models are available in 5 colours. Chrome (Mirror Chrome), Brushed Nickel (Brushed Stainless Steel), Black (Chrome Black - Scratch resistant), Gunmetal (PVD), Brushed Brass (PVD)
- All models are suitable for domestic use only.
- All models are suitable for Mains Pressure Only.
- All models have a Minimum Pressure of 150KpA
- All models have a Maximum Operating Pressure of 500KpA
- All models have a Maximum Operating Temperature of 65°C
- ET6100,ET6102, ET6104, ET6114, ET6116, ET6120, ET6122, ET6130 and ET6136 models have Neoperl Aerator
- ET6100,ET6102, ET6104, ET6106, ET6108, ET6120, ET6122, ET6130 and ET6136 models have Ø35 Sedal Ceramic Cartridge
- Neoperl Hoses for all models with hoses.
- Material is 304 Stainless Steel for all models excluding Slide Shower models
- Material is Brass and 304 Stainless Steel for all Slide Shower Models
- All models have indicators which show the relative temperature range (H for Hot and C for Cold)
- ET6100, ET6102, ET6104, ET6130 and ET6136 models WELS 5-Star Rating
- ET6110, ET6112, ET6126, ET6128 and ET6134 models WELS 3-Star Rating
- ET6120 and ET6122 models WELS 6-Star Rating
- All models have a watermark.

Scope of use

- All Evoke Tapware are for Domestic Use only
- All Evoke Tapware are suitable for Hot and Cold Water
- ET6100, ET6102, ET6120, ET6122, ET6130 and ET6136 are installed/mounted into a basin or slab top
- ET6104, ET6106, ET6108, ET6110, ET6112, ET6114, ET6126 and ET6134 are installed/mounted onto the wall
- ET6116 is Floor Mounted
- ET6128 is installed/mounted from the ceiling
- All Plumbing fittings are compatible with New Zealand Standards

Conditions of use

- Any plumbing must be carried out by a certified Plumber
- Maximum Operating Water Temperature is 65°C
- Maximum Operating Pressure is 500KpA
- Minimum Pressure is 150KpA
- This product is cleanable - cleaning shall be done in accordance with the manufacturer's cleaning instructions in the Evoke Installation Instructions

Relevant building code clauses

B2 Durability – B2.3.1 (c)

F2 Hazardous building materials – F2.3.1

G1 Personal Hygiene – G1.3.2

G12 Water Supplies – G12.3.2, G12.3.5

Contributions to compliance

B2 - Newtech Evoke Tapware Range meets the Durability requirements of Nominated Building Elements for Plumbing & Pipe fixtures of not less than 5 years when installed and maintained in accordance with the Evoke Tapware Installation Instructions.

G1 - Newtech Evoke Tapware Range comply with WELS regulations AS/NZ6400

F2 - Newtech Evoke Tapware Range are safe when handled. There are no requirements for this product to comply with Acceptable Solution F2/AS1, First Edition Amendment 3, 2017.

G12 - Newtech Evoke Tapware Range comply with AS/NZS 3500.01 maximum operating pressure when installed and maintained in accordance with Newtech Evoke Tapware Range Installation Instructions

Supporting documentation

The following additional documentation supports the above statements:

Evoke Basin Mixer Installation Instructions	V1	https://newtech-prod.s3.ap-southeast-2.amazonaws.com/media/assets/product_resource/Evoke Tapware Installation Instructions ET6100.pdf
Evoke High Rise Basin Mixer	V1	https://newtech-prod.s3.ap-southeast-2.amazonaws.com/media/assets/product_resource/Evoke Ta

		Tape Installation Instructions ET6102 pZ2m4EN.pdf
Evoke Wall Mounted Basin Mixer and Spout	V1	https://newtech-prod.s3.ap-southeast-2.amazonaws.com/media/assets/product_resource/Evoke_Tape_Installation_Instructions_ET6104_HfnV6uN.pdf
Evoke Shower/Bath Mixer	V1	https://newtech-prod.s3.ap-southeast-2.amazonaws.com/media/assets/product_resource/Evoke_Tape_Installation_Instructions_ET6106_a0XY3rN.pdf
Evoke Shower Mixer with Diverter	V1	https://newtech-prod.s3.ap-southeast-2.amazonaws.com/media/assets/product_resource/Evoke_Tape_Installation_Instructions_ET6108_t0etieh.pdf
Evoke Slide Shower	V1	https://newtech-prod.s3.ap-southeast-2.amazonaws.com/media/assets/product_resource/Evoke_Tape_Installation_Instructions_ET6110_zAz3ju5.pdf
Evoke Double Head Slide Shower	V1	https://newtech-prod.s3.ap-southeast-2.amazonaws.com/media/assets/product_resource/Evoke_Tape_Installation_Instructions_ET6112_5.pdf
Evoke Bath Spout	V1	https://newtech-prod.s3.ap-southeast-2.amazonaws.com/media/assets/product_resource/Evoke_Tape_Installation_Instructions_ET6114_npTGH8A.pdf
Evoke Floor Mounted Bath Filler	V1	https://newtech-prod.s3.ap-southeast-2.amazonaws.com/media/assets/product_resource/Evoke_Tape_Installation_Instructions_ET6116_B33akvF.pdf
Evoke Gooseneck Sink Mixer	V1	https://newtech-prod.s3.ap-southeast-2.amazonaws.com/media/assets/product_resource/Evoke_Tape_Installation_Instructions_ET6120_j1U5MMI.pdf
Evoke Gooseneck Pull Out Sink Mixer	V1	https://newtech-prod.s3.ap-southeast-2.amazonaws.com/media/assets/product_resource/Evoke_Tape_Installation_Instructions_ET6122_lsgPc8r.pdf

Evoke Mini Basin Mixer	V1	https://newtech-prod.s3.ap-southeast-2.amazonaws.com/media/assets/product_resource/Evoke Tapware Installation Instructions ET6130.pdf
Evoke Shower Rain Head (Ceiling Mount)	V1	https://newtech-prod.s3.ap-southeast-2.amazonaws.com/media/assets/product_resource/Evoke Tapware Installation Instructions ET6128.pdf
Evoke Shower Rain Head (Wall Mount)	V1	https://newtech-prod.s3.ap-southeast-2.amazonaws.com/media/assets/product_resource/Evoke Tapware Installation Instructions ET6126.pdf
Evoke Wall Mounted Shower Kit (Elbow and Holder, Handpiece and Hose)	V1	https://newtech-prod.s3.ap-southeast-2.amazonaws.com/media/assets/product_resource/ET6134 Installation Instructions 08252025 1.pdf

For further information supporting Evoke Tapware Range claims refer to our website.

Contact details

Manufacture location	Overseas
Legal and trading name of manufacturer	ChaoZhou QiaoBen Sourcing Co.Ltd
Legal and trading name of importer	Newtech Wanganui LTD
Importer address for service	30 Mill Road Wanganui 4501
Importer website	www.newtech.co.nz/
Importer NZBN	9429034898871
Importer email	sales@newtech.co.nz
Importer phone number	0800728662

Responsible person

As the responsible person as set out in Regulation 3, I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore to the best of my knowledge, correct.

I can also confirm that Evoke Tapware Range is not subject to a warning on ban under [s26 of the Building Act](#).

Signed for and on behalf of **Newtech Wanganui LTD**:

NEWTECH WANGANUI LTD
30 Mill Road Wanganui 4501 New Zealand
0800728662 | www.newtech.co.nz/